

CASE STUDIES FOR FUNGUS INFECTIONS

CASE ONE

The patient was a 19-year-old male who presented with a classic interdigital yeast infection. He had an acute fungal infection between his toes in the right foot and a chronic infection between the toes in the left foot. The skin was macerated, red, itchy and white. This represented a *Candida albicans* (yeast infection) infection commonly found between the toes. This is often caused by not drying the feet carefully after showering or wearing wet socks after activity.

DIV ozone therapy 3-4 times a week using a 55mcg/cc concentration was used along with ozonated extra virgin olive oil twice daily. The infection was gone completely in two weeks.

DIV was continued in addition to using very potent probiotics (Zana Bio- Juice) to replenish the bacteria in the intestinal wall for 4 months to ensure eradication of the intestinal Candida.

CASE TWO

Patient was a 45-year-old female presented herself with a chronic fungal infection in both feet for over three years. She had tried all the over the counter and prescription creams numerous times often improving it, occasionally eliminating it but always having it return. Examination revealed dry, slightly reddened skin covering the entire bottoms of both feet extending slightly up the sides, The heels showed fissures that on occasion deepened and became extremely painful.

DIV ozone therapy using a 55mcg/cc concentration three times a week was used along with ozonated extra virgin olive oil topically. The fissures were closed in two weeks, while the skin returned to normal in 6 weeks.

DIV was continued for 6 months at three times a week along with Zana Juice to ensure eradication of intestinal yeast infection in addition to the cleansing and strengthening of the immune system in general. Follow-up two years later showed no return of infection.

CASE THREE

Patient was a 51 who presented with fungal toenails, all toes both feet. All the nails were thickened; some were black in color while others were white with dry, slightly reddened skin around the edges of the nail.

DIV ozone therapy at 55mcg/cc was used three times a week for 7 months along with injections using a 27 gauge ½ inch needle of ozone at the same concentration directly into the nail matrix area (under the cuticle) where the fungus is originating from.

The nails appeared to showed healthy nail growth by the 8th week. By the 4th month new, healthy, nails were almost fully grown out. DIV therapy along with Zana Juice was continued for a total of six months. All the nail s were healthy and normal looking and stayed that way by one year later on follow-up.